



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union



June 2025

D 1.4.1 - Summary report of GHG balance of three target islands

<https://co2pacman.interreg-euro-med.eu/>



D 1.4.1 Summary report of GHG balance of three target islands

Project acronym	CO2 PACMAN
Project title	COoperation and CO-designing PARTnership for CLIMate Neutrality
Project mission	Green Living Area
Project priority	2-Greener MED
Specific objective	RSO2.4: Promoting climate change adaptation and disaster risk prevention, resilience, taking into account eco-system based approaches
Type of project	Test project (Thematic Project)
Project duration	01/2024 – 10/2026 (33 months)
Deliverable title	Summary report of GHG balance of three target islands
Deliverable number	1.4.1
Deliverable type	Report
Work package number	WP1
Work package title	CO2 PACMAN Cooperative action
Activity name	Preparing scenarios for climate neutrality of target islands
Activity number	1.4.1
Partner in charge (author)	Leader: UNISI
Partners involved	Co-Leaders: UNIFI-DIDA, SDEWES, GEO, TUC ReSEL Reviewer: CEEI Valencia, EPLO, SDC, CENER21, GIITT

Document history

Versions	Date	Document status	Delivered by
Version 1.0	30/06/25	Final	UNISI
Version 2.0	30/10/25	Final_New template	UNISI



Table of contents

Executive summary	4
1. Purpose of the document	5
2. Introduction	6
3. GHG balance	8
3.1 GHG balance of the three pilot islands	9
3.1.1 Brač	9
3.1.2 Crete	12
3.1.3 Elba	15
4. CO2 PACMAN Tool	18
4.1 Overall architecture and technical structure of the tool	20
4.2 The inclusion of Brač, Crete and Elba's data into the CO2 PACMAN Tool	23
4.3 Procedures and graphical visualization	24
Conclusions	34
List of sources	36
Tables and figures	36
List of figures	36



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

Abbreviations

AFOLU	Agriculture, Forestry and Other Land Use
GHG(s)	Greenhouse Gas(es)
IPCC	Intergovernmental Panel on Climate Change
IPPU	Industrial Processes and Product Use
SDG(s)	Sustainable development Goal(s)



Executive summary

The deliverable D.1.4.1 – “Summary Report of GHG Balance of Three Target Islands” is part of the CO2 PACMAN – COoperation and CO-designing PARTnership for CLiMAtE Neutrality project, funded under the Interreg Euro-MED Programme (Priority 2 – Greener MED, Mission: Green Living Areas).

It summarizes the greenhouse gas (GHG) inventories for the three pilot islands — Brač (Croatia), Crete (Greece), and Elba (Italy) — providing the analytical foundation for developing and testing climate neutrality scenarios within the CO2 PACMAN Tool.

The main purpose of this report is to quantify and analyze GHG emissions and carbon sinks across key sectors, energy, mobility, waste, and agriculture, following IPCC methodological guidelines. These results serve as baseline references for the simulation of decarbonization policies and participatory scenario-building activities (“The Island I Would Like”) foreseen in Work Package 3.

The document also illustrates how these datasets are integrated into the CO2 PACMAN Tool, a participatory, game-based platform designed to support local communities in co-designing and visualizing climate neutrality pathways.

The CO2 PACMAN Tool

The report also introduces the CO2 PACMAN Tool, a digital, interactive simulation platform designed to:

- Visualize land use and GHG balances through spatially-referenced, intuitive graphics;
- Enable users to apply and combine decarbonization policies (20 predefined measures) across sectors;
- Estimate residual emissions and simulate afforestation or compensatory actions;
- Produce a summary report of applied strategies and outcomes.

The tool transforms complex GHG data into an accessible format for local authorities, citizens, and stakeholders, enhancing understanding, participation, and cooperative decision-making.

Conclusions and Outlook

Deliverable D.1.4.1 provides a robust, transparent, and comparable GHG assessment for the three target islands, laying the groundwork for their transition toward climate neutrality.

The combination of data-driven analysis and participatory digital tools reinforces the CO2



CO2 PACMAN

**Interreg
Euro-MED**



**Co-funded by
the European Union**

PACMAN approach, which promotes inclusive, spatially grounded, and replicable climate planning processes across Mediterranean territories.

This deliverable directly supports the Green Living Areas Mission and contributes to several Sustainable Development Goals (SDGs), notably SDG 13 (Climate Action), SDG 7 (Clean Energy), SDG 11 (Sustainable Cities and Communities), and SDG 17 (Partnerships for the Goals).

1. Purpose of the document

This report constitutes a key deliverable (D.1.4.1) of the CO2 PACMAN project and is part of Activity 1.4 “Preparing scenarios for climate neutrality of target islands,” within Work Package 1 “CO2 PACMAN Cooperative Action.” The main objective of the document is to present the greenhouse gas (GHG) inventories developed for the three pilot islands — Brač (Croatia), Crete (Greece) and Elba (Italy) — and to lay the analytical groundwork for the simulation of climate neutrality scenarios through the CO2 PACMAN Tool.

The report collects and summarizes each island’s GHG balances, combining scientific data with visual formats such as tables, charts, and intuitive graphics. These data quantify emissions and carbon sinks and allow their translation into spatial references (i.e., equivalent forest area required to offset emissions), which are then integrated into the tool’s interactive, game-like environment.

The results presented here serve as the starting point for the participatory scenario-building activities (“The Island I Would Like”) and contribute to the broader goal of increasing local capacity to plan, visualize, and implement decarbonization strategies in a cooperative and transnational framework.



2. Introduction

The CO2 PACMAN project aims to guide Mediterranean islands toward climate neutrality by developing integrated climate change mitigation and adaptation strategies. Funded under the **Interreg Euro-MED Programme**, the project is part of the **Green Living Areas Mission⁽¹⁾**, which promotes greener, more resilient, and more livable Mediterranean territories. Building upon the outcomes of previous projects such as COMPOSE, FP7 CityZen, and BLUE DEAL, CO2 PACMAN emphasizes co-creation among public authorities, local stakeholders, experts, and citizens through a series of participatory “rooting labs” in the pilot islands of Brač, Crete and Elba (see CO₂ PACMAN Cooperative Planning Guidelines – Deliverable 1.2.1).

One of the project’s core innovations is the **CO2 PACMAN Tool**, a dynamic, game-based platform ideated to support local communities in exploring, evaluating and co-designing decarbonization pathways across key sectors, including energy, transport, agriculture, and waste. The development of this tool was supported by a structured, multi-step methodological process involving the collection and elaboration of GHG data, the identification of emission sources and carbon sinks, and the simulation of policy related impacts.




Figure 1 – CO2 PACMAN methodological framework (Source: Deliverable 1.1.1 Fine-tuning of the CO2 PACMAN Assessment system)



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

The overall framework that has guided this development is illustrated in Figure 1, reproduced from Deliverable 1.1.1 "Fine-tuning of the CO2 PACMAN Assessment System". This scheme provides a comprehensive overview of the methodological pathway adopted by the project, covering the full sequence of actions, from the identification of emission sources to the launch of transition activities. In line with this framework, Step 1 has already been completed, and the present document focuses on the implementation of Steps 2 and 3, namely the GHG inventory assessment and the development of mitigation/compensation scenarios. The figure also illustrates how the engagement of various target groups (stakeholders, public authorities, schools, businesses, and citizens) has been progressively structured through specific participatory formats.

Within this context, **Activity 1.4** explicitly focused on the calculation of baseline GHG emissions and carbon absorption for the pilot islands (step 2 of Figure 1), drawing on data collected during Activity 1.3 (See D1.3.1 CO2 Pacman datasets and tool). These baselines are essential for enabling the CO2 PACMAN tool's policy simulation features and supporting participatory scenario development in the second round of living labs, "The Island I Would Like" (Activity 3.1) (step 3 of Figure 1).

The present report compiles and summarizes the GHG balances for the three pilot islands in a clear and accessible format, integrating tables, figures, and visual outputs from the CO2 PACMAN Tool. These results are the analytical foundation for the project's broader objective: co-creating actionable climate neutrality strategies with and for island communities.



3. GHG balance

The greenhouse gas inventories for the three pilot islands, Brač (Croatia), Crete (Greece) and Elba (Italy), were developed following the methodological guidelines of the Intergovernmental Panel on Climate Change (IPCC) (see D.1.3 – CO2 PACMAN datasets and tool for the complete explanation of the methodology used)⁽²⁾ ⁽³⁾. This approach ensures transparency, comparability, and scientific robustness in quantifying emissions across key sectors.

Figure 2 provides a summary of the IPCC methodology categories considered in the inventories, including sectors such as energy, transport, waste, and agriculture.

GREENHOUSE GAS INVENTORY




Figure 2 – Summary of the category of emissions and uptakes sectors of the IPCC methodology (Source: Deliverable 1.3.1 CO2 PACMAN datasets and tool)

The following sections provide a detailed breakdown of the inventories for each island, offering insight into their specific emission profiles and setting the foundation for tailored decarbonization strategies developed within the CO2PACMAN tool.



3.1 GHG balance of the three pilot islands

3.1.1 Brač




Figure 3 - Summary of Brač GHG Inventories

Figure 3 offers an overview of the primary outcomes from the Brač GHG inventory, highlighting the dominant sources of emissions, the most impactful sub-sectors, and the relative contribution of natural carbon sinks.

Table 1 presents a summary of the greenhouse gas (GHG) inventory for the island of Brač and a detailed table of the various emission sectors and sub-sectors analyzed.



Table 1 – GHG emissions by sector and sub-sector in Brač: values in ktCO₂eq and their percentage contribution to total emissions

Emissions sectors and sub-sectors Brač	Value	Measurement unit	% on total
Energy	62,97	ktCO₂eq	67,7%
Electricity production/consumption (Household and Services, Public transport, Industrial, Agricultural)	5,6	ktCO ₂ eq	6,0%
Fuel consumption (Heating for Residential, Service, Industrial, Agricultural)	10,2	ktCO ₂ eq	10,9%
Mobility (Road transportation, Water- borne navigation, Civil aviation)	47	ktCO ₂ eq	50,8%
Industrial	0	ktCO₂eq	0,0%
Waste	9,9	ktCO₂eq	10,7%
Wastewater	0,2	ktCO ₂ eq	0,2%
Solid waste (Landfilled, Composted, Selection plants, Recycled)	9,7	ktCO ₂ eq	10,4%
AFOLU	20,15	ktCO₂eq	21,7%
Forest fires	15,45	ktCO ₂ eq	16,6%
Livestock (Breded, Wild and Stabled animals)	4,39	ktCO ₂ eq	4,7%
Agricultural production (Cereals, Roots and tubers, Temporary fodder, Permament fodder)	0,3	ktCO ₂ eq	0,3%
Total GROSS EMISSIONS	93,1	ktCO₂eq	100%
Land use (UPTAKE)	-85,6	ktCO ₂ eq	-92%
Total NET EMISSIONS	7,5	ktCO₂eq	8%

As clearly shown in the table, the energy sector is the largest contributor to emissions, with a total of 62.97 kt CO₂eq (67.7%), followed by the AFOLU sector with 20.15 kt CO₂eq (21.7%), and the waste sector with 9.9 kt CO₂eq (10.7%). The industrial sector amounts to 0 kt CO₂eq, as, according to the data available from the local partners on the island of Brač, there are no industries with direct emissions from material production. Total gross emissions amount to 93.1 kt CO₂eq, of which approximately 92% (85.6 kt CO₂eq) are offset by carbon sinks on the island. As a result, the island's final net emissions amount to 7.5 kt CO₂eq.



Table 1 also includes disaggregated CO₂ emissions data for the sub-sectors within each category. It can be observed that of the 62.97 ktCO₂eq emitted by the Within the Energy sector, which, as previously noted, accounts for 67.7% of the island's total emissions, 50.8% is attributable to the Mobility sub-sector, making it the largest single contributor to Brač's overall greenhouse gas emissions. The distribution of emissions within Brač's Mobility sub-sector reveals that maritime transport is the dominant source, accounting for 81.32% of the sector's emissions, followed by road transport with 14.09%, and civil aviation with 4.59% (**Figure 4**).

MOBILITY SECTOR EMISSIONS - BRAČ




Figure 4 - Distribution of GHG emissions within the Mobility sector of Brač



3.1.2 Crete

MAIN RESULTS OF THE GHG INVENTORIES CONDUCTED FOR THE THREE CO₂PACMAN PILOT ISLANDS.




Figure 5 - Summary of Crete GHG Inventories

Figure 5 offers an overview of the primary outcomes from the Crete GHG inventory, highlighting the dominant sources of emissions, the most impactful sub-sectors, and the relative contribution of natural carbon sinks.

Table 2 summarizes the greenhouse gas (GHG) inventory for the island of Crete and a detailed table of the various emission sectors and sub-sectors analyzed.



Table 2 – GHG emissions by sector and sub-sector in Crete: values in ktCO₂eq and their percentage contribution to total emissions

Emissions sectors and sub-sectors Crete	Value	Measurement unit	% on total
Energy	1877,67	ktCO₂eq	63,5%
Electricity production/consumption (Household and Services, Public transport, Industrial, Agricultural)	505	ktCO ₂ eq	17,1%
Fuel consumption (Heating for Residential, Service, Industrial, Agricultural)	228	ktCO ₂ eq	7,7%
Mobility (Road transportation, Water- borne navigation, Civil aviation)	1145	ktCO ₂ eq	38,7%
Industrial	0	ktCO₂eq	0,0%
Waste	395,17	ktCO₂eq	13,4%
Wastewater	50,17	ktCO ₂ eq	1,7%
Solid waste (Landfilled, Composted, Selection plants, Recycled)	345	ktCO ₂ eq	11,7%
AFOLU	684,84	ktCO₂eq	23,2%
Forest fires	16	ktCO ₂ eq	0,5%
Livestock (Breded, Wild and Stabled animals)	606	ktCO ₂ eq	20,5%
Agricultural production (Cereals, Roots and tubers, Temporary fodder, Permament fodder)	64	ktCO ₂ eq	2,1%
Total GROSS EMISSIONS	2958	ktCO₂eq	100%
Land use (UPTAKE)	-1221	ktCO ₂ eq	-41%
Total NET EMISSIONS	1737	ktCO₂eq	59%

As clearly shown in the table, the energy sector is the most significant contributor to emissions, with a total of 1,877.67 kt CO₂eq (63.5%), followed by the AFOLU sector with 684.84 kt CO₂eq (23.2%), and the waste sector with 395.17 kt CO₂eq (13.4%). The industrial sector amounts to 0 kt CO₂eq, as, according to the IPCC Guidelines, this category (IPPU – Industrial Processes and Product Use) only includes direct process emissions from material production (e.g., cement, lime, chemicals, metals). Since no such industries are present in Crete at a scale relevant to the inventory, emissions in this category are reported as zero.

Total gross emissions amount to 2,958 kt CO₂eq, of which approximately 41% (1,221 kt CO₂eq) are offset by carbon sinks on the island. As a result, the island's final net emissions amount to 1,737 kt CO₂eq.



Table 2 also includes disaggregated CO₂ emissions data for the sub-sectors within each category. Of the 1,877.67 kt CO₂eq emitted by the Energy sector, which, as previously noted, represents 63.5% of the island's total emissions, 38.7% is attributable to the Mobility sub-sector, making it the most significant single contributor to Crete's overall greenhouse gas emissions. Within the transport sector, emissions are overwhelmingly dominated by road transportation, which represents 88.84% of the total, followed by aviation that contributes 11.16% (**Figure 6**).

MOBILITY SECTOR EMISSIONS - CRETE




Figure 6 - Distribution of GHG emissions within the Mobility sector of Crete



3.1.3 Elba

MAIN RESULTS OF THE GHG INVENTORIES CONDUCTED FOR THE THREE CO2 PACMAN PILOT ISLANDS.

ELBA




Figure 7 - Summary of Elba GHG Inventories

Figure 7 offers an overview of the primary outcomes from the Elba GHG inventory, highlighting the dominant sources of emissions, the most impactful sub-sectors, and the relative contribution of natural carbon sinks.

Table 3 presents a summary of the greenhouse gas (GHG) inventory for Elba Island, and a detailed table of the various emission sectors and sub-sectors analyzed.



Table 3 – GHG emissions by sector and sub-sector in Crete: values in ktCO₂eq and their percentage contribution to total emissions

Emissions sectors and sub-sectors Elba	Value	Measurement unit	% on total
Energy	183	ktCO₂eq	92,9%
Electricity production/consumption (Household and Services, Public transport, Industrial, Agricultural)	48	ktCO ₂ eq	24,5%
Fuel consumption (Heating for Residential, Service, Industrial, Agricultural)	16	ktCO ₂ eq	8,2%
Mobility (Road transportation, Water-borne navigation, Civil aviation)	119	ktCO ₂ eq	60,2%
Industrial	0	ktCO₂eq	0,0%
Waste	9,5	ktCO₂eq	4,8%
Wastewater	2	ktCO ₂ eq	1,2%
Solid waste (Landfilled, Composted, Selection plants, Recycled)	7	ktCO ₂ eq	3,7%
AFOLU	4,5	ktCO₂eq	2,3%
Forest fires	4	ktCO ₂ eq	2,3%
Livestock (Breded, Wild and Stabled animals)	0	ktCO ₂ eq	0,0%
Agricultural production (Cereals, Roots and tubers, Temporary fodder, Permanent fodder)	0,04	ktCO ₂ eq	0,0%
Total GROSS EMISSIONS	197	ktCO₂eq	100%
Land use (UPTAKE)	-62	ktCO ₂ eq	-32%
Total NET EMISSIONS	135	ktCO₂eq	68%

As clearly shown in the table, the energy sector is the most significant contributor to emissions, with a total of 183 kt CO₂eq (93%), followed by the waste sector with 9.5 kt CO₂eq (4.8%), and the AFOLU sector with 4.50 kt CO₂eq (2.3%). The industrial sector amounts to 0 kt CO₂eq, as, according to the data available from the local partners on the island of Elba, there are no industries with direct emissions from material production. Total gross emissions amount to 197 kt CO₂eq, of which approximately 32% (62 kt CO₂eq) are offset by carbon sinks on the island. As a result, the island's final net emissions amount to 135 kt CO₂eq.



Table 3 also includes disaggregated CO₂ emissions data for the sub-sectors within each category. Of the 183 ktCO₂eq emitted by the Energy sector, which accounts for 93% of the island's total emissions, 60.2% is attributable to the Mobility sub-sector, making it the most significant single contributor to Elba's overall greenhouse gas emissions. Within the transport sector, emissions are overwhelmingly dominated by road transportation, which represents 99.44% of the total, followed by water-borne navigation that contributes 14.69% and aviation that contributes only 0.06% (**Figure 8**).

During the initial data collection phase on the island, data on waterborne navigation were not available; however, they have since been acquired and are currently undergoing analysis.

MOBILITY SECTOR EMISSIONS - ELBA




Figure 8 - Distribution of GHG emissions within the Mobility sector of Elba



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

4. CO2 PACMAN Tool

The data collected in Deliverable D1.3.1 and further analyzed in this document have been translated into the CO2PACMAN Tool, which is designed to support the development and implementation of decarbonisation strategies tailored to the context of Mediterranean islands. While the policies illustrated in Figure 7 are presented in summary form, a more detailed discussion can be found in D1.3.1. These policies have been designed based both on the outcomes of the GHG balance assessments and on the aim of ensuring that they are broadly applicable and adoptable across all Mediterranean islands, and potentially beyond. Figure 9 illustrates the interconnections between data, sectors, and policies, showing how they integrate to support informed decision-making. The decarbonisation policies are presented in the same order in which they appear within the CO₂ PACMAN Tool, each policy is also color-coded according to the IPCC sector most directly affected by its implementation.



EMISSION SECTORS

EMISSION SUB-SECTORS

DECARBONIZATION POLICIES




Figure 9 - Relationship between key emission sectors and sub-sectors and the developed decarbonization policies. This conceptual map represents the structural foundation of the CO2 PACMAN Tool.



4.1 Overall architecture and technical structure of the tool

The following section provides a structured overview of the CO2 PACMAN Tool's architecture, outlining how its core functionalities are distributed across sequential operational steps. Each step corresponds to a specific phase in the data processing and decision-support workflow, from the inclusion of baseline information to the modeling of decarbonization strategies and potential compensatory measures. The section also clarifies how each functional block interacts with the user interface, specifying which datasets are visible or editable, and how the outputs are visualized to support interpretation and scenario comparison.



Figure 10 - Structure and workflow of the CO2 PACMAN Tool.



The CO2 PACMAN Tool includes all relevant data that has been collected and categorized according to the methodology described in deliverable D1.3.1. It offers users both fixed baseline datasets and a selection of decarbonization policies, allowing them to simulate and compare various future scenarios. Specifically, the tool includes:

1. **System Data:**

A set of general, both specific and non-site-specific parameters required for developing and quantifying decarbonization policies. These background data are used exclusively by technical operators during the processing of GHG balances and policy impact estimations and are, therefore, not visible or editable by the tool's end users.

2. **Step 0 - General Data:**

General data about the selected island, which is displayed during the scenario selection step, alongside a general description of the territory.

Specifically:

- a. Island area
- b. Resident population
- c. Annual number of tourists

3. **Step 1 - Land Use of the Island**

Data related to the land use distribution (in hectares) of the island, classified into the following categories:

- a. Built-up areas
- b. Annual crops
- c. Forests
- d. Meadows and urban green spaces
- e. Orchards, olive groves and vineyards
- f. Other (beaches, rocky areas, etc...)

These data are presented to the user in Step 1 of the tool (**Figure 13**).



4. Step 2 - GHG balance

Results of the greenhouse gas emissions of the selected island. It includes all the sectors considered in the emission inventories and their aggregation into main emission categories. These are then used to generate the visual "tiles" representing the island's equivalent forest (**Figure 15**). The equivalent forest is a communicative indicator representing the amount of CO₂ emissions avoided or reduced through decarbonization policies, expressed as the hypothetical forest area needed to absorb an equivalent quantity of CO₂ annually. This metric facilitates the understanding of climate benefits by translating abstract emission values into a tangible and relatable environmental reference.

These data are presented to the user in Step 2 of the tool (**Figure 15**).

5. Step 3 - Decarbonisation strategies

This is where the user starts to interact with the tool. It includes the estimations of the effects of decarbonization policies. It contains the specific formulas developed to estimate the potential emission reductions that each policy can achieve for the selected island. The reductions are initially calculated in the unit of measurement corresponding to the emission source to which they refer, and subsequently converted into tonnes of CO₂ equivalent (tCO₂eq) avoided using the relevant emission factors provided by the IPCC methodology (as detailed in deliverable D.1.3.1).

These data are presented to the user in Step 3 of the tool (**Figure 17**).

6. Step 4 - Residual CO₂ emissions

Amount of the island's residual CO₂ emissions following the implementation of all selected decarbonization policies, along with a proposed afforestation measure designed to account for both the available physical space on the island and the remaining CO₂ to be absorbed.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

4.2 The inclusion of Brac, Crete and Elba's data into the CO2 PACMAN Tool

Once the GHG balance calculations were completed and the relative impact of each sector on the total emissions for the three pilot islands was assessed, the project's next phase involved transferring this data into the CO2 PACMAN Tool. This transition involved a meticulous technical process in which raw data from various Excel sheets, comprising all previously described collected and calculated information, were harmonized and translated into a structured online spreadsheet, then shared with the IT partner responsible for the tool's development.

As shown in **Figure 9**, from the 4 sectors defined by the IPCC methodology and the corresponding 9 sub-sectors considered in the greenhouse gas inventories assessment for the three pilot islands of the project, 20 overarching decarbonization policies were created. Each policy influences or has the potential to affect one or more sub-sectors, allowing users to visualize and simulate how specific interventions, such as investing in electric transport or sustainable agriculture, can directly impact emission sources.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

4.3 Procedures and graphical visualization

4.3.1 Welcome page and island selection

This is the **Welcome page** (Figure 11), which introduces users to the tool. At the top, the interface features the project name *CO2 PACMAN* and a placeholder for partner logos. The central section includes a welcoming message and an overview of the tool's purpose, which is aimed to raise awareness and guide users through the decarbonization process.




Figure 11 - Welcome page

A clearly defined "How to Play" section outlines the basic instructions for engaging with the tool. This section is structured in a framed box, with supporting visual elements on the right. At the bottom right, a "Start" button invites users to begin the experience, ensuring intuitive navigation into the following stages of the tool. The design is clean and accessible, providing users with a clear and structured entry point into the interactive learning journey.

After the Welcome screen, the user arrives at the Select Island page, which invites them to choose the island they intend to decarbonise.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union




Figure 12 - Select a Scenario page

At the centre of the interface, a framed panel presents one **island profile** at a time. The island's name appears prominently, followed by key statistics such as total area, resident population, and annual tourist arrivals, so users immediately grasp the scale and baseline conditions. A brief descriptive paragraph offers additional geographical and socio-economic context. At the same time, an adjacent placeholder image is reserved for a map or representative photograph that will help users visualise the territory.

Beneath the panel, a single **LOAD** button prompts the user to confirm its selection. Activating this control uploads the relevant dataset and takes the user into the subsequent interactive steps, where they will analyse emissions, apply mitigation policies, and monitor progress toward climate neutrality for the chosen island. In this way, the scenario page functions as an informative gateway between the general introduction and the detailed decarbonisation workflow.

The **Help** button links to the tool's tutorial, corresponding to the content presented in the previous 'How to play' section. It allows users to review the tool's rules before starting.

From this point onward, this feature (Help button) will be available in every tool step, briefly explaining the current step's specific objectives and what it represents/visualises.



4.3.2 Step 1 (Interactive Land Use Map of the Island)




Figure 13 - Step 1 page

In this tool stage, users are presented with a **schematic representation of the island** (e.g. Elba Island) divided into a **grid of tiles** (Figure 13). Each tile corresponds to 100 hectares for Brač and Elba and 1500 hectares for Crete. Every tile is color-coded with icons to denote different land use categories, such as built-up areas, forests, meadows, agricultural land, or coastal zones.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union




Figure 14 - Step 1 page - Help button

The Help button briefly explains the user's current step (here, Step 1) and provides a short tutorial on how to interact with the tool during this step.

On the right-hand side, a summary panel displays a categorized breakdown of land cover types and their respective total surface area in hectares. This visual layout enables users to quickly understand the spatial distribution and scale of various land types on the island. It provides a foundational understanding of the territory before assessing its GHG emissions and exploring decarbonisation strategies in subsequent steps. From here, users may proceed to the next step through the **“GO TO GHG BALANCE”** button.



4.3.3 Step 2 (GHG emissions results)




Figure 15 - Step 2 page

In this tool stage, users are shown a schematic view of the island’s different consumptions and their relative CO₂ emissions, structured in a tile-based grid. Each tile corresponds to 100 hectares for Brač and Elba and 1500 hectares for Crete. On the left, the island is represented with land-use tiles from Step 1. The tiles distributed on the right part represent a **translation of the CO₂ emission into a spatial reference**, corresponding to 100 hectares of **forest equivalent** that would be necessary to absorb that quantity of CO₂. All these tiles are differentiated into color-coded and icon-labeled consumption types, such as residential electricity, transport, heating, or agriculture.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union




Figure 16 - Step 2 page – Help button

The Help button briefly explains the user's current step (here, Step 2) and provides a short tutorial on how to interact with the tool during this step.

A summary panel on the right-hand side displays the island's total CO₂ emissions. It lists each consumption category (namely, residential electricity, transport, heating, agriculture) with its corresponding value, allowing users to explore the GHG emissions in detail. This step provides a sector-specific visualization of emissions to support the development of targeted decarbonisation strategies. To proceed to Step 3, a button “**APPLY MITIGATION POLICIES**” is below the icons.



4.3.4 Step 3 (Selection of decarbonisation strategies)




Figure 17 - Step 3 page

In this tool stage, users are invited to explore and apply decarbonisation strategies to reduce the island's GHG emissions. The left side of the interface continues to display the schematic land-use representation of Elba Island introduced in Step 1. On the right, CO₂ emissions, initially presented in Step 2 as color-coded tiles corresponding to consumption sectors, are now dynamically updated in response to the implementation of one or more decarbonisation policies, which drive changes in the respective consumption categories.

At the bottom of the screen, a series of icons represent different policy measures, each corresponding to strategies described in detail in Deliverable 1.3.1; a summary is depicted in Figure 9. These include interventions such as reducing domestic consumption, promoting sustainable travel habits, increasing energy efficiency, or investing in public transport. By selecting these policies, users can **observe in real time how the number of emission tiles decreases** within the relevant sectors, visually illustrating the potential impact of each measure on overall emissions.

On the right-hand side, a summary panel categorizes and names each decarbonisation strategy, supporting users in identifying and combining effective actions. This step serves as an **interactive scenario-building tool**, allowing stakeholders to test various policy pathways and better understand their implications for achieving emissions reduction on the island.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union




Figure 18 - Step 3 page – Help button

The Help button briefly explains the user's current step (here, Step 3) and provides a short tutorial on how to interact with the tool during this step.

From here, users may proceed to the final step through the “**APPLY ABSORPTIONS**” button.



4.3.5 Step 4 (Residual CO₂ emissions)




Figure 19 - Step 4 page

In Step 4, users are presented with a final synthesis of the island's residual CO₂ emissions after implementing all selected decarbonisation policies from Step 3. This stage provides a conclusive visualisation of the remaining CO₂ emissions, enabling users to assess whether the adopted strategies are sufficient to achieve climate neutrality.

Building on the previous emissions grid, this step displays only the residual CO₂ emissions that persist after policy interventions. At this stage, users can also apply an additional measure: afforestation, or planting new trees. This strategy is constrained by the actual availability of suitable land on the island, as defined in Step 1's land use mapping.

The tool simulates the absorption potential of newly planted forests and compares it against the residual emissions. When prior policies prove effective, only a small portion, or potentially none, of the available area is needed for afforestation. Conversely, if significant emissions remain, even the full use of all eligible land may be insufficient to achieve climate neutrality.



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

This final step features a dedicated visual layout that communicates the spatial and quantitative relationship between emissions and the compensatory capacity of forest expansion. It reinforces the importance of both mitigation and land-based compensation strategies, offering a comprehensive and realistic assessment of the island's path toward carbon neutrality.




Figure 20 - Step 4 page – Help button

The Help button briefly explains the user's current step (here, Step 4) and provides a short tutorial on how to interact with the tool during this step.

Once the desired set of policies has been selected, users may click the **"GET THE REPORT"** button to conclude the interactive planning sequence. After this last step, the tool generates a document report summarizing all the strategies applied and their results.



Conclusions

The calculation of greenhouse gas (GHG) inventories for the pilot islands of Brač, Crete, and Elba marks an important advancement in the CO2 PACMAN project's mission to facilitate local transitions toward climate neutrality. These inventories present a thorough and transparent assessment of emissions and carbon sinks across key consumption sectors, employing a scientifically robust methodology that adheres to IPCC guidelines⁽²⁾ ⁽³⁾. This shared framework promotes consistent interpretation of data across various territories and over time, establishing a firm foundation for informed decision-making and policy development.

In addition to the inventories, this deliverable launches the CO2 PACMAN Tool, an innovative resource designed to simplify complex environmental data and foster an interactive and participatory planning environment. The tool guides users through a structured series of steps, allowing them to explore emission sources, implement decarbonization policies, and visualize their impacts using intuitive, spatial formats. This flexibility enables users to tailor scenarios to their territory's specific characteristics while maintaining methodological consistency within the core assessment framework.

The tool's modular design, combined with clear inputs and sector-specific policy options, allows for broad adaptability. It can not only be applied to the pilot islands involved in this project but also extended to other Mediterranean islands and coastal regions encountering similar decarbonization challenges. This adaptability is underpinned by the use of open, traceable data structures and well-defined parameters, facilitating integration with other planning processes and tools.

Moreover, the CO2 PACMAN Tool empowers local actors, public authorities, citizens, and experts to transition from passive observers to active participants in climate planning. It transforms the climate planning process into a collaborative, visual, and strategic endeavor that enhances both individual understanding and collective efficacy.

This project aligns well with the broader vision of the Interreg Euro-MED Green Living Areas Mission⁽¹⁾, which seeks to foster climate-resilient, resource-efficient, and inclusive territories across the Mediterranean. By prioritizing local engagement, data transparency, and spatialized planning, the CO2 PACMAN approach significantly contributes to this vision, equipping small islands with the necessary tools to pursue their transitions in a structured, inclusive, and replicable manner.

In doing so, the project contributes to the advancement of multiple Sustainable Development Goals (SDGs)⁽⁴⁾. It enhances **SDG 13 (Climate Action)** by enabling targeted, data-driven strategies for emission reduction; supports **SDG 7 (Affordable and Clean**



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union

Energy) by facilitating energy transition simulations; promotes **SDG 11 (Sustainable Cities and Communities)** through inclusive, place-based planning initiatives; fosters **SDG 17 (Partnerships for the Goals)** through collaboration and dialogue across sectors and regions; encourages **SDG 12 (Responsible Consumption and Production)** by linking emissions to both behavioral and systemic change; contributes to **SDG 9 (Industry, Innovation and Infrastructure)** by supporting the application of innovative tools and methodologies; and strengthens **SDG 4 (Quality Education)** by raising awareness and building capacity among local actors.

Ultimately, this deliverable establishes the foundation for a forward-looking and replicable planning model. While it outlines the necessary structure, data and calculations to understand GHG emissions and assess policy options, the tool itself remains under development. It will adhere to the proposed approach but still requires testing and refinement to ensure full functionality. The finalized version is expected to be deployed for the three target islands of the CO2 PACMAN project. As such, this version should be seen not as a definitive product, but as a tool in a continuous, iterative process toward a finalized fully complete version.



List of sources

1. Interreg Euro-MED. (n.d.). *Green Living Areas Mission*. Interreg Euro-MED Programme. Retrieved June 5, 2025, from <https://green-living-areas.interreg-euro-med.eu/>
2. IPCC, 2006. 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds). Published: IGES, Japan.
3. IPCC, 2019. 2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories. Report.
4. United Nations. (n.d.). *Sustainable Development Goals*. United Nations. Retrieved June 5, 2025, from <https://sdgs.un.org/goals>

Tables and figures

List of tables

Table 1 GHG emissions by sector and sub-sector in Brač: values in ktCO ₂ eq and their percentage contribution to total emissions	9
Table 2 GHG emissions by sector and sub-sector in Crete: values in ktCO ₂ eq and their percentage contribution to total emissions	12
Table 3 GHG emissions by sector and sub-sector in Crete: values in ktCO ₂ eq and their percentage contribution to total emissions	15

List of figures

Figure 1 CO2 PACMAN methodological framework (Source: Deliverable 1.1.1 Fine-tuning of the CO2 PACMAN Assessment system)	5
Figure 2 Summary of the category of emissions and uptakes sectors of the IPCC methodology (Source: Deliverable 1.3.1 CO2 PACMAN datasets and tool)	7
Figure 3 Summary of Brač GHG Inventories	8
Figure 4 Distribution of GHG emissions within the Mobility sector of Brač	10



Figure 5 Summary of Crete GHG Inventories	11
Figure 6 Distribution of GHG emissions within the Mobility sector of Crete	13
Figure 7 Summary of Elba GHG Inventories	14
Figure 8 Distribution of GHG emissions within the Mobility sector of Elba	16
Figure 9 Relationship between key emission sectors and sub-sectors and the developed decarbonization policies. This conceptual map represents the structural foundation of the CO2 PACMAN Tool	18
Figure 10 Structure and workflow of the CO2 PACMAN Tool.	19
Figure 11 Welcome page	23
Figure 12 Select a Scenario page	24
Figure 13 Step 1 page	25
Figure 14 Step 1 page - Help button	26
Figure 15 Step 2 page	27
Figure 16 Step 2 page - Help button	28
Figure 17 Step 3 page	29
Figure 18 Step 3 page - Help button	30
Figure 19 Step 4 page	31
Figure 20 Step 4 page - Help button	32



CO2 PACMAN

Interreg
Euro-MED



Co-funded by
the European Union